

TEST REPORT

NO.: A002T140822208-1R01

Date: Aug. 28, 2014

Page 1 of 3

Customer: Artistic Toy Mfg., Inc.

Address: 1405 South Albert St. Allentown, PA 18103 USA

Report on the submitted sample said to be

Sample name: 14"BOOBIE DUCK

Model: TR14BOOBIEDUCK

Item/Lot No.: PO 20540

Material: SUPER SOFT VELBOA

Description: BOOBIE DUCK

Buyer: /

Supplier: CHINA NINGBO CIXI IMP.&EXP.CORP.

Manufacturer: ZHENJIANG TIANRUN TOY CO.,LTD.

Country of Origin: CHINA

Country of Destination: USA

Labeled Age Grading: /

Requested Age Grading: ALL AGES

Sample received date: Aug. 22, 2014

Testing period: From Aug. 22, 2014 to Aug. 28, 2014

Testing Requested:

1. ASTM Standard Consumer Safety Specification on Toy Safety F 963-11

- ASTM F 963-11: Physical & Mechanical Tests

- ASTM F 963-11: Flammability Tests

- ASTM F 963-11: Heavy Metal and Lead Content

Conclusion:

Meet

Meet

Meet

*****FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S)*****

Signed for and on behalf of

Shenzhen AOV Testing Technology Co., Ltd, Kunshan Branch

Project Leader:

Robin

Chen Wu, Robin
Chemical Test Director

Reviewed by:

Maggie

Li Tingting, Maggie
Technical Director

Approved by:

Wei kin

Wang Weixin, Weikin
Authorized Signatory

TEST REPORT

NO.: A002T140822208-1R01

Date: Aug. 28, 2014

Page 2 of 3

Test Results:

ASTM F 963-11: Mechanical and physical hazards

Section	Description	Results
4	Safety requirements	--
4.1	Material Quality	M
4.2	Flammability	M
4.6	Small Objects	M
4.7	Accessible Edges	M
4.9	Accessible Points	M
4.27	Stuffed and Beanbag-Type Toys	M
7	Producer's Markings	--
7.1	Name and Address of the Producer or Distributor Remark: Either a principal component of a toy or the package of a toy shall be marked with the name and address of producer or the distributor. In the case of toys sold in bulk, such as jacks or marbles, only the container need be marked. All of these markings shall be legible and so positioned as to be seen easily by the customer and shall resist normal use conditions. Toys may carry a code that will enable the producer to identify model changes except for toys comprising many loose components, in which case the container may be so coded.	M

Note: M=Meet, N/A=Not Applicable

ASTM F 963-11: Flammability testing procedure for solids and soft toys

Ref: ASTM F 963-11 Section 4.2

Method used: Federal Hazardous Substances Act (FHSA) 16 CFR 1500.44

Requirement: The burn rate shall not exceed 0.1in. per second.

Result: The burn rate of the sample is 0.036 in/s.

Sample Description

No.	Sample name
1.1	YELLOW SUPER SOFT VELBOA
1.2	WHITE SUPER SOFT VELBOA
1.3	ORANGE SUPER SOFT VELBOA
1.4	LIGHT YELLOW PLUSH
1.5	-BLACK THREAD, RED THREAD, DARK RED THREAD AND GREY TH (Mixed)

TEST REPORT

NO.: A002T140822208-1R01

Date: Aug. 28, 2014

Page 3 of 3

ASTM F 963-11: Heavy metals analysis

Ref: ASTM F 963-11 Section 4.3.5.2 in substrate and coating

Soluble Element	Cadmium (Cd)	Lead (Pb)	Chromium (Cr)	Mercury (Hg)	Antimony (Sb)	Barium (Ba)	Arsenic (As)	Selenium (Se)
Unit								
MQL	5	5	5	5	5	5	5	5
Limit	75	90	60	60	60	1000	25	500
Code								
Result	<u>1.1</u>	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
	<u>1.2</u>	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
	<u>1.3</u>	N.D.	N.D.	N.D.	N.D.	N.D.	5.9	N.D.
	<u>1.4</u>	N.D.	N.D.	N.D.	N.D.	N.D.	6.7	N.D.
	<u>1.5##</u>	N.D.	N.D.	N.D.	N.D.	N.D.	5.7	N.D.

Note:

- Results shown are of the adjusted analytical results.

Note:

-##The admixture of specimen is tested as a whole (part) which according to the applicant's request, the result of report as a average value because of the whole specimen is regarded as constituting from the homogeneous material. The testing of specimen may have the obvious difference, and the result may exceed the number in this report. The applicant will undertake all differences and risk.

- N.D. =Not Detected (<MQL)

- MQL=Method Quantitation Limit

- Photo is included

Photograph of Sample



End of Report